

INDIA'S 
LEADING CCTV
BRAND

 **Secureeye**
An Eye Beyond Your Eye



KEEPING
INDIA UNDER
SURVEILLANCE
SINCE LAST
TWO DECADES

www.secureeye.com

ABOUT US



“Excellent Standards in Smart Intelligent Integrated Security Products is the synonym of SECUREYE. “

Secureye is one of the leading brands in industry since last 28 years in the field of security products. We are expert in providing cutting edge technology in security & surveillance domain. Our product ranges from closed circuit cameras to biometrics and entrance security products to access control systems. **Awarded The best made in India security camera brand 2021 by NCN, The best security & surveillance solution brand 2021 by DT & the best CCTV brand 2022 by DT.**

Journey Till Now : Secureye took the lead in launching many path-breaking products in its first few years of existence itself. In around 2004, the launch of DVR card, TV Line camera, Switcher & Quad constituted the total Security and Surveillance Structure of Secureye.

In 2011 Secureye's brand-new generation DVRs based on latest platform had a shining debut. Once these DVRs came to public eyes, they've received popular positive feedbacks from distributors and direct customer around the world. Also, Secureye is the FIRST Company in India to launch AHD camera in 2012.

Secureye has also attained great importance to reach the development of camera products, such as IP cameras (ranging from 1.3 megapixels to 8.0 megapixels), HD camera etc. Presently we have maintained a long range of products which can definitely help you to find the product that suits your requirement the most.

Recently we have upgraded our security & surveillance domain by launching FALCON & Starling series of CCTV Cameras with outstanding features and specifications where as the Wi-Fi based cameras are just a plug-n-play model for every end user.

In this journey of 28 years we have catered thousands of clients across multiple vertical of industry. Some of our clients are top brands from Automobile sector, Education sector, Hospital & Healthcare, Hospitality & Hotels, Govt organizations and many more. Indian Army, CRPF, BSF, CBI (Central Bureau of Investigation), Ministry of Mines, Income Tax Department, State Bank Of India, UCO Bank, Bank of Baroda, Vijaya Bank, AIIMS, Max Healthcare, HCL, DLF, Delta Group, Jaypee Group, L&T, ZEE TV, Bharti Infratel, and many more are some of our elite clients whom we have served to ensure safety & security in their premises.

Secureye have passed ISO:9001 quality management system certification, BIS – Indian Standard Certification and some international certifications such as ROHS, CE, FCC CMMI Level 5 & IEM. **We're having our own manufacturing unit in Delhi under the govt. make in India initiative.** Our products with high credit are sold in Europe, America, Japan as well as Taiwan and are widely used in many fields such as Banking, Public Security, Energy Resources, Intelligent-Building and Intelligent – Transportation.

Service Center Across India

Ahmedabad, Bangalore, Bhubaneswar, Chandigarh, Chennai, Cochin, Dehradun, Ghaziabad, Goa, Guwahati, Hyderabad, Indore, Jaipur, Kolkata, Lucknow, Ludhiana, Mumbai, New Delhi, Nagpur, Patna, Pune, Raipur, Ranchi, Secunderabad

For any inquiries, please contact
sales@secur-eye.com
Sales: 1800 1022 366
Support: 011 4089 0000
www.secureye.com



Analog HD CCTV Camera



HD-CMOS



HD Lens



IR LED



IR Distance



2MP: S-A-D1 / S-A-D1(AOC)

Dome IR Camera

- 1/2.9" CMOS Sensor
- 2MP Resolution
- 3.6mm Fixed Lens
- Smart IR Range up to 20m



2MP: S-A-W1/ S-A-W1(AOC)

Bullet IR Camera

- 1/2.9" CMOS Sensor
- 2MP Resolution
- 3.6mm Fixed Lens
- Smart IR Range up to 20m
- IP66 RATED



5MP: S-CCA1 / S-A-D5

Dome IR Camera

- 1/2.5" CMOS Sensor
- 3.6mm Fixed Lens
- Smart IR Range up to 20m
- 5MP: AHD/TVI
- 4MP: AHD/TVI/CVI



5MP: S-CCA2 / S-A-W5

Bullet IR Camera

- 1/2.5" CMOS Sensor
- 3.6mm Fixed Lens
- Smart IR Range up to 20m
- 5MP: AHD/TVI
- 4MP: AHD/TVI/CVI
- IP66 RATED



5MP: S-A-D5-L

Dome IR Camera

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 20m IR Range
- 5MP Resolution
- AHD/TVI/CVI/CVBS Output



5MP: S-A-W5-L

Bullet IR Camera

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 20m IR Range
- 5MP Resolution
- AHD/TVI/CVI/CVBS Output



2/5MP COLOR NIGHT VISION

4 in 1 CAMERA
AHD/TVI/CVI/CVBS
Mode


3.6mm
Fixed Lens


3D
DNR
Support


IP66


Full Color

**GLADIATOR
SERIES**



2MP: S-A-W2

AHD Color Night Vision
Bullet Camera with Flood Light LED

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- IP66
- Co-axial Control Support
- Support 3D DNR
- All Time Color



2MP: S-A-D2

AHD Color Night Vision
Dome Camera with Flood Light LED

- 1/2.9" CMOS Sensor
- 2 Warm LED Range 20M
- 3.6mm Fixed Lens
- Co-axial Control Support
- Support 3D DNR
- All Time Color



5MP: S-A-D5-C

AHD Color Night Vision
Dome Camera with Flood Light LED

- 3.6mm HD Lens
- 1 Warm LED Range 20M
- Co-axial Control Support
- 5MP AHD/TVI
- 4MP AHD/TVI/CVI
- All-Time Color View



5MP: S-A-W5-C

AHD Color Night Vision
Bullet Camera with Flood Light LED

- 3.6mm HD Lens
- 2 Warm LED Range 20M
- Co-axial Control Support
- 5MP AHD/TVI
- 4MP AHD/TVI/CVI
- IP66
- All-Time Color View

With Co-axial Audio



2MP: S-A-W2-A

AHD Color Night Vision
Bullet Camera with Flood Light LED

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- IP66
- Coaxial Control Support
- Support 3D DNR
- All Time Color with Co-axial Audio



2MP: S-A-D2-A

AHD Color Night Vision
Dome Camera with Flood Light LED

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Coaxial Control Support
- Support 3D DNR
- All Time Color with Co-axial Audio



5MP: S-A-D5-C-A

AHD Color Night Vision
Dome Camera with Flood Light LED

- 3.6mm HD Lens
- 1 Warm LED Range 20M
- Co-axial Control
- 5MP AHD/TVI
- 4MP AHD/TVI/CVI
- All Time Color with Co-axial Audio



5MP: S-A-W5-C-A

AHD Color Night Vision
Bullet Camera with Flood Light LED

- 3.6mm HD Lens
- 2 Warm LED Range 20M
- Co-axial Control
- 5MP AHD/TVI
- 4MP AHD/TVI/CVI
- IP66
- All Time Color with Co-axial Audio



With
Starlight
TECHNOLOGY

**AHD
High Speed Dome
Camera**



S-PTZ-W2A-10X-100M

**4 In 1 PTZ Bullet
IR Camera**

- 1/3" CMOS 2MP NVP2441 + SONY 323 Sensor
- 10X, f=5.1 mm ~ 51mm Lens
- 4pcs IR + 2pcs Laser LED
- IR Distance up to 100m



S-PTZ-D2A-20X-150M

**4 In 1 IR Medium Speed
Dome Camera**

- 1/3" CMOS 2MP NVP2441 + SONY 323 Sensor
- 20X, f=4.7 mm ~ 96.3mm Lens
- 7pcs IR + 2pcs Laser LED
- IR Distance up to 150m



S-PTZ-D2A-36X-240M

**4 In 1 IR Medium/High Speed
Dome Camera**

- 1/3" CMOS 2MP NVP2441 + SONY 307 Sensor
- 36X, 4.6 mm ~ 165mm Lens
- 9pcs IR + 4pcs Laser LED
- IR Distance up to 240m

Intelligent 5 In 1 XVR

AHD/CVBS/HDCVI/HDTVI/IP Supported Camera Type



S-XVR-1

4 CH XVR

- Embedded LINUX Operating System
- H.265+ Video Compression
- Video input 4ch BNC
- Audio Input 1ch RCA
- Up to 2MP Camera Supported
- Co-axial Audio Support



S-XVR-2

8 CH XVR

- Embedded LINUX Operating System
- H.265+ Video Compression
- Video input 8ch BNC
- Audio Input 1ch RCA
- Up to 2MP Camera Supported
- Co-axial Audio Support



S-XVR-3

16 CH XVR

- Embedded LINUX Operating System
- H.265+ Video Compression
- Video input 16ch BNC
- Audio Input 1ch RCA
- Up to 2MP Camera Supported
- Co-axial Audio Support

Smart Analytics: Line Crossing, Area Intrusion

5MP Series



S-XVR-4

4 CH XVR

- Embedded LINUX Operating System
- H.265/H.265+ Video Compression
- Video input 4ch BNC
- Audio Input 1ch RCA
- Up to 5MP Camera Supported
- Co-axial Audio Support



S-XVR-6

16 CH XVR

- Embedded LINUX Operating System
- H.265/H.265+ Video Compression
- Video input 16ch BNC
- Audio Input 1ch RCA
- Up to 5MP Camera Supported
- Co-axial Audio Support



S-XVR-5

8 CH XVR

- Embedded LINUX Operating System
- Video input 8ch BNC
- Audio Input 1ch RCA
- Up to 5MP Camera Supported
- Co-axial Audio Support



S-XVR-7

32 CH XVR

- Embedded LINUX Operating System
- H.265/H.265+ Compression
- Video input 32ch BNC
- Audio Input 1ch RCA
- Up to 5MP Camera Supported



**FALCON
SERIES**



2MP: S-IP-D1
Dome IR Camera

- 1/2.7" Progressive scan CMOS
- 3.6mm Fixed Lens
- Smart IR Range 20 ~ 30m
- H.265+/H.265/H.264 Video Compression



2MP: S-IP-W1
Bullet IR Camera

- 1/2.7" Progressive scan CMOS
- 3.6mm Fixed Lens
- Smart IR Range 20 ~ 30m
- H.265+/H.265/H.264 Video Compression
- IP67 Rated



2MP: S-IP-W2-VF50M
Bullet IR Camera

- 1/2.7" Progressive scan CMOS
- 2.8 ~ 12mm Varifocal Lens
- Smart IR Range up to 50m
- H.265+/H.265/H.264+/H.264 Video Compression
- IP67 Rated

Support Defog, AWB, AGC, DWDR, ROI, BLC, HLC, UPnP-TM



2MP: S-IP-D1-TF
Dome IR Camera

- 1/2.7" CMOS Sensor
- 3.6 mm Fixed Lens
- IR Range 15 ~ 20m
- POE Supported
- SD Card (128GB) Supported



2MP: S-IP-W1-TF
5MP: S-IP-W5

Bullet IR Camera with SD Card Supported

- 1/2.7" CMOS Sensor
- 3.6 mm Fixed Lens
- IR Range 15 ~ 20m
- POE Supported
- SD Card Supported
- IP67 Rated



5MP: S-IP-D5
Dome IR Camera

With SD Card Supported

- 1/2.7" Progressive scan CMOS Sensor
- 3.6mm Fixed Lens
- 30 SMD LED, IR Range 30m
- SD Card(128GB) Supported



5MP: S-IP-W5-VF

Bullet IR Camera With SD Card Supported

- 1/2.7" Progressive scan CMOS Sensor
- 3.6 / 2.8 ~ 12mm Varifocal Lens
- 30 SMD LED, IR Range Up to 50m
- H.265/H.264 Video Compression
- SD Card(128GB) Supported
- IP67 Rated



8MP: S-CCI2
Dome IR Camera

- 1/2.7" Progressive scan CMOS Sensor
- 2.8mm Lens
- 24 SMD LED, IR Range Up to 30m
- H.264/H.264+/H.265+ Video Compression



8MP: S-CCI3

Bullet IR Camera

- 1/2.7" Progressive scan CMOS Sensor
- 8MP Resolution
- 3.6mm Lens
- 24 SMD LED, IR Range Up to 30m
- H.264/H.264+/H.265+ Video Compression
- POE Supported
- IP67 Rated



**2/5MP IP
VANDAL PROOF**

DOME WITH AUDIO

MAJORLY USED IN
HIGHLY FILLED PLACES!



2MP: S-IP-D2-VP

Dome IR Vandalproof Camera

- 1/2.5" Progressive scan CMOS
- 3.6mm Lens
- Smart IR Range 20 ~ 30m
- H.265+/H.265/H.264 video compression
- SD Card Support



2MP: S-IP-D2-VP-A

5MP: S-IP-D5-VP-A

Dome IR Vandalproof Camera with Audio

- 1/2.5" Progressive scan CMOS
- 3.6mm Lens
- Smart IR Range 20 ~ 30m
- H.265+/H.265/H.264 video compression
- Built-in MIC
- SD Card Support



2/5 MP
RESOLUTION



18PCS
SMD LED



3.6MM
LENS



SMART
FUNCTIONS



POE
SUPPORTED

H.265+
COMPRESSION



FALCON

FULL COLOR with Built-in MIC



2MP: S-IP-D1-C-A

Dome IR Full Color with Audio Camera

- 3.6mm HD Lens
- Warm LED Light
- Onvif Compliant
- Built-in MIC



2MP: S-IP-W1-C-A

Bullet IR Full Color with Audio Camera

- 3.6mm HD Lens
- Warm LED Light
- Onvif Compliant
- Built-in MIC



5MP: S-IP-D5-C-A

Dome IR Full Color with Audio Camera True WDR

- 3.6mm HD Lens
- Warm LED Light
- Onvif Compliant
- Built-in MIC
- True WDR



5MP: S-IP-W5-C-A

Bullet IR Full Color with Audio Camera True WDR

- 3.6mm HD Lens
- Warm LED Light
- Onvif Compliant
- Built-in MIC
- True WDR



FALCON PRO



2MP: S-IP-D2-VP(WDRA)

Dome IR True WDR Camera

- 3.6mm HD Lens
- 3 Array LED Light
- Onvif Compliant
- Built-in Mic
- SD Card Support
- True WDR



2MP: S-IP-W2-VP(WDRA)

Bullet IR True WDR Camera

- 3.6mm HD Lens
- 2 Array LED Light
- Onvif Compliant
- Built-in Mic
- SD Card Support
- True WDR



2MP: S-IP-D2-VP(WDRM)

Dome IR True WDR Motorized Camera

- 2.8 to 12mm Motorized Varifocal Lens
- 4 Array LED Light
- Onvif Compliant
- Alarm I/O
- Audio I/O
- SD Card Support
- True WDR



2MP: S-IP-W2-VP(WDRM)

Bullet IR True WDR Motorized Camera

- 2.8 to 12mm Motorized Varifocal Lens
- 4 Array LED Light
- Onvif Compliant
- Alarm I/O
- Audio I/O
- SD Card Support
- True WDR



5MP: S-IP-D5-VP(WDRA)

Dome IR True WDR Camera

- 3.6mm HD Lens
- 3 Array LED Light
- Onvif Compliant
- Built-in Mic
- SD Card Support
- True WDR



5MP: S-IP-W5-VP(WDRA)

Bullet IR True WDR Camera

- 3.6mm HD Lens
- 2 Array LED Light
- Onvif Compliant
- Built-in Mic
- SD Card Support
- True WDR



5MP: S-IP-D5-VP(WDRM)

Dome IR True WDR Motorized Camera

- 2.8 to 12mm Motorized Varifocal Lens
- 4 Array LED Light
- Onvif Compliant
- Alarm I/O
- Audio I/O
- SD Card Support
- True WDR



5MP: S-IP-W5-VP(WDRM)

Dome IR True WDR Motorized Camera

- 2.8 to 12mm Motorized Varifocal Lens
- 4 Array LED Light
- Onvif Compliant
- Alarm I/O
- Audio I/O
- SD Card Support
- True WDR



8MP: S-CCI-2 (WDRA)

Dome IR True WDR Camera

- 3.6mm HD Lens
- Onvif Compliant
- Built-in MIC
- SD Card Support
- True WDR



8MP: S-CCI-3 (WDRA)

Bullet IR True WDR Camera

- 3.6mm HD Lens
- Onvif Compliant
- Built in MIC
- IP67
- True WDR
- SD Card Support



S-NVR-4
4 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 5MP Camera Supported
- 1 SATA Interface
- Bandwidth 30/20 Mbps
- Motion Detection, Email Notification
- Smart Detection & Smart Playback



S-NVR-8
8 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 5MP Camera Supported
- Playback 1Ch 5MP/4Ch 1080P
- 1 SATA Interface
- Upto 5MP Camera Supported
- Bandwidth 40/20 Mbps
- Motion Detection, Email Notification
- Smart Detection & Smart Playback



S-NVR-1-2H/S-NVR-1
16 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 8MP Camera Supported
- Playback 1Ch 4K/4Ch 1080P
- 2 SATA / 1 SATA Interface
- Ethernet: 10/100/1000M
- Bandwidth 160/256 Mbps
- Motion Detection, Email Notification
- Smart Detection & Smart Playback



S-NVR-2
32 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 8MP Camera Supported
- Playback 1Ch 4K/16Ch 1080P
- 2 SATA Interface
- Bandwidth 256/256 Mbps
- Motion Detection, Email Notification
- Smart Detection & Smart Playback



S-NVR-3
32 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 8MP Camera Supported
- Playback 1Ch 4K/16Ch 1080P
- 4 SATA Interface
- Motion Detection, Email Notification
- Smart Detection & Smart Playback
- Bandwidth 256/256 Mbps
- Plug & Play P2P
- Support Corridor View



S-NVR-10
64 Ch NVR

- H.265+ Compression
- Support Cloud upgrade & Cloud Storage
- Up to 8MP Camera Supported
- Playback 1Ch 4K/16Ch 1080P
- 8 SATA Interface
- Motion Detection, Email Notification
- Smart Detection & Smart Playback
- Bandwidth 320/256 Mbps
- Plug & Play P2P
- Support Corridor View

Smart Functions





ST-IP-DM-001

Dome IR Camera

- 2MP Metal Dome IPC
- 4mm Fixed Lens
- Built-in Mic & Speaker
- TF Card Slot
- Built-in PoE
- Alarm I/O 1/1
- IP 67 Rated



ST-IP-DM-002

Dome IR Full Color Camera

- 2MP Dome IPC
- 4mm Fixed Lens
- External PoE
- Full Color Night Vision
- Built-in MIC



ST-IP-DM-003

Dome IR Full Color Camera

- 2MP Dome IPC
- 2.8mm Fixed Lens
- External PoE
- Full Color Night Vision
- Built-in MIC



ST-IP-DM-004

Dome IR Camera

- 2MP Metal Dome IPC
- 2.8-12mm Motorized Lens
- Built-in Mic & Speaker
- TF Card Slot
- Built-in PoE
- Alarm I/O 1/1
- IP 67 Rated



ST-IP-DM-005

Dome IR Camera

- 2MP Metal Dome IPC
- 2.8-12mm Motorized Lens
- Audio 1 in 1 out
- TF Card Slot
- Built-in PoE
- Alarm I/O 1/1
- IP 67 Rated
- IK10



ST-IP-DM-006

Dome IR Full Color Camera

- 5MP Dome IPC
- 4mm Fixed Lens
- External PoE
- Full Color Night Vision
- Built-in MIC



ST-IP-DM-007

Dome IR Full Color Camera

- 5MP Dome IPC
- 2.8mm Fixed Lens
- External PoE
- Full Color Night Vision
- Built-in MIC



ST-IP-DM-008

Dome IR Full Color Camera

- 5MP Metal Dome IPC
- 2.8-12mm Motorized Lens
- Audio 1 in 1 out
- TF Card Slot
- Built-in PoE
- Alarm I/O 1/1
- IP 67 Rated
- IK10



ST-IP-DM-009

Dome IR Camera

- 5MP Metal Dome IPC
- 2.8-12mm Motorized Lens
- Built-in Mic & Speaker
- TF Card Slot
- Built-in PoE
- Alarm I/O 1/1
- IP 67 Rated



ST-IP-DM-010

Dome IR Camera

- 8MP Metal Dome IPC
- 4mm Fixed Lens
- Audio 1 in 1 out
- TF Card Slot
- External PoE
- Alarm I/O 1/1
- IP 67 Rated
- IK10



ST-IP-WP-001

IP Bullet IR Camera

- 2MP Metal Outdoor IPC
- 2.8-12mm Motorized Lens
- Built-in Mic & Speaker
- Alarm I/O 1/1
- TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-002

Network Bullet Camera

- 2MP Metal Outdoor IPC
- 4mm Fixed Lens
- Built-in Mic & Speaker
- Alarm I/O 1/1
- TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-003

IP Full Color Bullet Camera

- 2MP Metal Outdoor IPC
- 4mm Fixed lens
- Built-in PoE
- Full Color Night Vision
- Built-in MIC
- IP67 Rated



ST-IP-WP-004

IP Full Color Bullet Camera

- 2MP Metal Outdoor IPC
- 6mm Fixed Lens
- Built-in PoE
- Full Color Night Vision
- Built-in MIC
- IP67 Rated



ST-IP-WP-005

IP Full Color Bullet Camera

- 5MP Metal Outdoor IPC
- 4mm Fixed Lens
- Built-in PoE
- Full Color Night Vision
- Built-in MIC
- IP67 Rated



ST-IP-WP-006

IP Full Color Bullet Camera

- 5MP Metal Outdoor IPC
- 6mm Fixed lens
- Built-in PoE
- Full Color Night Vision
- Built-in MIC
- IP67 Rated



ST-IP-WP-007

Network Bullet Camera

- 5MP Metal Outdoor IPC
- 2.8-12mm Motorized Lens
- Built-in Mic & Speaker
- Alarm I/O 1/1
- TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-008

Network Bullet Camera

- 5MP Metal Outdoor IPC
- 2.8mm Fixed Lens
- Built-in Mic & Speaker
- Support TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-009

Network Bullet Camera

- 5MP Metal Bullet IPC
- 4mm Fixed Lens
- Built-in Mic & Speaker
- Support TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-010

Network Bullet Camera

- 8MP Metal Bullet IPC
- 4mm Fixed Lens
- Built-in Mic & Speaker
- Alarm I/O 1/1
- TF Card Slot
- Built-in PoE
- IP67 Rated



ST-IP-WP-011

Network Bullet Camera

- 2MP Metal Bullet IPC
- 2.8-12mm Manual Varifocal Lens
- Built-in Mic
- Support TF Card Slot
- Audio Output Cable
- Built-in PoE
- IP67 Rated



ST-IP-WP-012

Network Bullet Camera

- 5MP Metal Bullet IPC
- 2.8-12mm Manual Varifocal Lens
- Built-in Mic
- Support TF Card Slot
- Audio Output Cable
- Built-in PoE
- IP67 Rated



ST-NVR-001

9CH

- 4K 1HDD NVR
- 1*10/100 LAN Port
- 64M I/O Bandwidth
- Two-way Audio Intercom



ST-NVR-002

32CH

- 4K 2HDD NVR
- 1*GIGA LAN Port
- 128M I/O Bandwidth
- Two-way Audio Intercom



ST-NVR-003

32CH

- 4K 2HDD NVR
- 2* 10/100 LAN Port
- 4 /1 Alarm I/O
- 80M I/O Bandwidth
- Two-way Audio Intercom



ST-NVR-004

36CH

- 4K 4HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 288M I/O Bandwidth
- Two-way Audio Intercom



ST-NVR-005

36CH

- 4K 9HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 288M I/O Bandwidth
- Two-way Audio Intercom
- RAID Supported



ST-NVR-006

64CH

- 4K 9HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 512M I/O Bandwidth
- Two-way Audio Intercom
- RAID Supported



ST-NVR-007

128CH

- 4K 9HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 640M I/O Bandwidth
- Two-way Audio Intercom
- RAID Supported



ST-NVR-008

64CH

- 4K 16HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 512M I/O Bandwidth
- Two-way Audio Intercom
- RAID Supported



ST-NVR-009

128CH

- 4K 16HDD NVR
- 2*Giga LAN Port
- 4/4 Alarm I/O
- 640M I/O Bandwidth
- Two-way Audio Intercom
- RAID Supported



ST-NVR-010

10CH

- 4K 1HDD NVR
- 1*10/100 LAN Port
- 64M I/O Bandwidth
- Two-way Audio Intercom



ST-NVR-011

16CH

- 4K 1HDD NVR
- 1*10/100 LAN Port
- 64M I/O Bandwidth
- Two-way Audio Intercom



Intelligent NVR



5MP IP High Speed Dome Camera



S-PTZ-D5IP-36X-150M
S-SSD-PTZ3

HD-IP IR
High Speed Dome Camera

- 1/2.8" 5MP Hi3516E + Sony 327 Sensor
- 6 IR LED + 2 Laser LED, IR Distance Up to 150m
- 36X, F=4.6~165mm Lens
- H.265/H.264/M-JPEG Video Compression
- 220 Preset Points
- IP66 Rated



S-PTZ-D5IP-36X-250M
S-SSD-PTZ6

HD-IP IR
High Speed Dome Camera

- 1/2.8" 5MP Hi3516A + Sony 335 Sensor
- 10 IR LED + 5 Laser LED, IR Distance Up to 280m
- 36X, F=4.6~167mm Lens
- H.265/H.264/M-JPEG Video Compression
- G.711, PCM Audio Compression
- 220 Preset Points
- IP67 Rated



S-PTZ-D5IP-20X-240M
S-SSD-PTZ4

HD-IP IR
Medium Speed Dome Camera

- 1/2.8" 5MP Hi3516E + Sony 335 Sensor
- 9 IR LED + 4 Laser LED, IR Distance Up to 240m
- 20X, F=4.7~96.3mm Lens
- H.265/H.264/M-JPEG Video Compression
- G.711, PCM Audio Compression
- 220 Preset Points
- IP67 Rated

2MP IP High Speed Dome Camera



S-PTZ-D2IP-20X-150M
S-SSD-PTZ1

HD-IP IR
High Speed Dome Camera

- 1/2.8" 2MP Hi3516E + Sony 307 Sensor
- 6 IR LED + 2 Laser LED, IR Distance Up to 150m
- 20X, F=4.7~96.3mm Lens
- H.265/H.264/M-JPEG Video Compression
- 220 Preset Points
- IP66 Rated



S-PTZ-D2IP-36X-150M
S-SSD-PTZ2

HD-IP IR
High Speed Dome Camera

- 1/2.8" 2MP Hi3516E + Sony 327 Sensor
- 6 IR LED + 2 Laser LED, IR Distance Up to 150m
- 36X, F=4.6~165mm Lens
- H.265/H.264/M-JPEG Video Compression
- 220 Preset Points
- IP66 Rated



S-PTZ-D2IP-36X-250M

HD-IP IR
High Speed Dome Camera

- 1/2.8" 2MP Hi3516A + Sony 327 Sensor
- 10 IR LED + 5 Laser LED, IR Distance Up to 250m
- 36X, F=4.6~167mm Lens
- H.265/H.264/M-JPEG Video Compression
- G.711, PCM Audio Compression
- 220 Preset Points, IP67 Rated



S-PTZ-D2IP-36X-120M

HD-IP IR
High Speed Dome Camera

- 1/2.8" 2MP Hi3516A + Sony 327 Sensor
- 8 IR LED, IR Distance Up to 120m
- 36X, F=4.6~167mm Lens
- H.265/H.264/M-JPEG Video Compression
- 220 Preset Points
- IP66 Rated

IR Night Vision Camera



3MP: SIP-3HD-D-C-A

Dome IR Camera

- CMOS Sensor
- 3.6mm MP HD Lens
- 2 Warm LED
- 20 ~ 30m LED Range
- 3MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported



4MP: SIP-4MP-D-C-A

Dome IR Camera

- CMOS Sensor
- 3.6mm MP HD Lens
- 2 Warm LED
- 20 ~ 30m LED Range
- 4MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported



3MP: SIP-3HD-20MC-A

Bullet IR Camera

- CMOS Sensor
- 3.6mm MP HD Lens
- 2 Warm LED
- 20 ~ 30m LED Range
- 3MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported



4MP: SIP-4MP-20MC-A

Bullet IR Camera

- CMOS Sensor
- 3.6mm MP HD Lens
- 2 Warm LED
- 20 ~ 30m LED Range
- 4MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported



3MP: SIP-3MP-20MC-M

Bullet IR Metal Camera



- CMOS Sensor
- 3.6mm MP HD Lens
- 3 Warm LED
- 20 ~ 30m LED Range
- 3MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported








4MP: SIP-4MP-20MC-M

Bullet IR Metal Camera

- CMOS Sensor
- 3.6mm MP HD Lens
- 3 Warm LED
- 20 ~ 30m LED Range
- 4MP Resolution
- 25/30 FPS
- Support SLink Protocol
- Onvif Supported










- 
Recording
- 
Record folder
- 
Snapshot folder
- 
Setting
- 
Clear alarm



SIP-4HD-DIR

Temperature Screening Camera

- 1024 PIXS Thermal Image Sensor
- 5mm Thermal Lens
- HI3516EV200 Processor
- 3.6mm Lens
- Visual Angle of 100°
- 128GB TF Card Supported
- G.711A Audio Compression
- Built-in Speaker with 38dB Mic
- Inbuilt Battery

- 
Accuracy±0.3°C
- 
Wi-Fi
- 
AP Hotspot
- 
Full HD
HD 1080P
- 
Two way Audio
- 
Rechargeable Battery
- 
High Efficiency Control

TEMPERATURE

Screening Camera



Tripod for Camera



Network CCTV Camera



2MP: SIP-2HD-VF-MB
Dome IR Camera (Metal Housing)

- 1/3" CMOS Sensor
- 2.8 ~ 12mm Varifocal Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression



2MP: SIP-2HD-FX-MB
Dome IR Camera (Metal Housing)

- 1/3" CMOS Sensor
- 3.6 mm Fixed Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression



2MP: SIP-2HD-VF-MS
Dome IR Camera

- 1/3" CMOS Sensor
- 2.8 ~ 12mm Varifocal Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression



2MP: SIP-2HD-VF-PS
Dome IR Camera

- 1/3" CMOS Sensor
- 2.8 ~ 12mm Varifocal Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression



2MP: SIP-2HD-DIR
Dome IR Camera

- 1/3" CMOS Sensor
- 3.6 mm Fixed Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression



2MP: SIP-2HD-W20
Bullet IR Camera

- 1/3" CMOS Sensor
- 3.6 mm Fixed Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression
- IP66



2MP: SIP-2HD-W40
Bullet IR Camera

- 1/3" CMOS Sensor
- 6 mm Fixed Lens
- IR Range 15 ~ 20m
- H.265+/H.265/H.264 compression
- IP66



2MP: SIP-2HD-W50VF
Bullet IR Camera with Varifocal Lens

- 1/3" CMOS Sensor
- 2.8 ~ 12mm Varifocal Lens
- IR Range 40 ~ 50m
- H.265+/H.265/H.264 video compression
- IP66



3MP: SIP-3HD-6MM-A
Bullet IR Camera With Audio

- 1/3" CMOS Sensor
- Built-in MIC
- 6 mm Fixed Lens
- IR Range 20 ~ 30m
- IP66



3MP: SIP-3HD-8MM-A
Bullet IR Camera With Audio

- 1/3" CMOS Sensor
- Built-in MIC
- 8 mm Fixed Lens
- IR Range 30 ~ 40m
- IP66



3MP: SIP-3HD-12MM-A
Bullet IR Camera With Audio

- 1/3" CMOS Sensor
- Built-in MIC
- 12mm Fixed Lens
- IR Range 40 ~ 50m
- IP66



5MP: SIP-5MP-8M-A
Bullet IR Camera with Audio

- 1/3" CMOS Sensor
- Built-in MIC
- 8 mm Fixed Lens
- IR Range 30 ~ 40m
- IP66



5MP: SIP-5MP-12M-A
Bullet IR Camera with Audio

- 1/3" Megapixel CMOS Sensor
- Built-in MIC
- 12 mm Fixed Lens
- IR Range 30 ~ 40m
- IP66



5MP: SIP-5HD-W50VF
Bullet IR Camera with Varifocal Lens

- 1/3" Megapixel CMOS Sensor
- 2.8 ~ 12mm Varifocal Lens
- IR Range 40 ~ 50m
- IP66



Forest



Farm House



Coal Mines



Police Booth

4G WiFi Camera

with RTMP, RTSP & FTP Features



4G

3MP: S-IP-D3-PT4G

PT Spotlight Camera

- 4mm Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- All Time Color
- Smart Night Vision Mode
- Ethernet LAN Port
- IP66



4G

3MP: SIP-D3-G

Dome IR Camera

- 4mm Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- Ethernet LAN Port



4G

3MP: SIP-W3-G

Bullet Spotlight Camera

- 4mm Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- Ethernet LAN Port
- IP66



WiFi

3MP: S-IP-D3-PTW

PT Spotlight Camera

- 4mm Fixed Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- Smart Night Vision Mode
- Ethernet LAN Port
- Onvif Supported
- IP66



WiFi

3MP: SIP-D3-W

Dome IR Camera

- 4mm Fixed Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- Ethernet LAN Port
- Onvif Supported



WiFi

3MP: SIP-W3-W

Bullet Spotlight Camera

- 4mm Fixed Lens
- Two Way Audio
- Support Cloud Storage
- Support SD Card up to 128GB
- Ethernet LAN Port
- Smart Night Vision
- Onvif Supported
- IP66

Your Personal Eyewitness LPR CAMERA



S-NVR8 | 8 Ch NVR


-  Support Cloud Upgrade & Cloud Storage
-  5MP Camera Supported
-  Motion Detection & Email Notification
-  1080P Resolution



120fps

2MP LPR 12X AF | Pro Bullet Camera

-  1/2.8" Progressive Scan CMOS
-  5.3-64mm@F1.6-F2.8 12x Optical Zoom
-  120km/h Max. Vehicle Speed
-  1920x1080 Resolution



WIFI CAMERA & NVR KIT



S-4WK3M

4 Channel 3MP Additional 4 IPC

- Video input: 4ch D1/960H720P/960P/1080P/3MP
- HDMI Output: 1ch, Resolution:1024x768, 1366x768, 1440x900, 1920x1080
- VGA Output: 1ch, Resolution:1024x768, 1366x768, 1440x900, 1920x1080
- Resolution: D1/960H/720P/960P/1080P
- Playback: 4ch
- Recording: Manual, time, motion dection, alarm
- Storage: 1 SATA
- Storage capacity: 4TB HDD



S-8WK-N

8 Channel Wireless NVR KIT

- Video input: 8ch D1/960H720P
- HDMI Output: 1ch, Resolution:1024x768, 1366x768, 1440x900
- VGA Output: 1ch, Resolution:1024x768, 1366x768, 1440x900
- Resolution: D1/960H/720P/960P
- Playback: 4ch
- Recording: Manual, time, motion dection, alarm
- Storage: 1 SATA
- Storage capacity: 4TB HDD

Additional 4no. 2MP IP Camera *Supported*



360° Network VR CAMERA & NVR



S-VR50 / S-VR30K

Panoramic VR Camera w LAN

- 2/3 Mega Pixel Sensor
- Resolution: 1920×1080 / 2048x1536
- Lens: 1.44mm
- Visual angle: 360°
- Horizontal: 0°~360°, Vertical: -90°~90°
- Video Compression: H.264
- WiFi Supported
- Support Micro SD Card Up to 128GB
- IR Distance: 5-10M



SIP-13HD-DIRF / SIP-2HD-DIRF

Panoramic VR Camera

- 1.3 / 2Mega Pixel Sensor
- Resolution: 1280×960 / 1920x1080
- Lens: Fish Eye Wide-angle Lens
- Visual Angle: 360°
- Video Compression: H.264
- WiFi Supported
- Support Micro SD Card Up to 128GB
- IR Distance: 5-10M



SIP-1S-VR4
4CH VR NVR

- 4 Channel NVR
- 1 CH, HDMI
- Resolution: 1920x1080P/60Hz; 4K/30Hz

- Video Compression: H.265, H.264
- Audio Supported
- 1 * SATA Interface
- HDMI Output



SIP-1S-VR8
8CH VR NVR

- 8 Channel NVR
- 1 CH, HDMI
- Resolution: 1920x1080P/60Hz; 4K/30Hz
- Video Compression: H.265, H.264
- Audio Supported

- 1 * SATA Interface
- 6TB In Max Storage Capacity
- HDMI Output

WIFI CLOUD IP CAMERA



WIFI Bullet IP Camera with LED Floodlight STAR LIGHT



iCam500

Features

- Add voice control by combining with a screen Alexa device
- Hi-Res quality video
- Ability to snap pictures & record video
- *Wi-Fi / LAN network connectivity
- Remote viewing using for smart phone
- Monitor the location remotely & control
- Two-way audio communication
- Micro SD Card (Max.128GB)

Specification

- 2.0MP Resolution
- 128GB SD card support
- Motion detection, Alarm with Snapshot
- 10/100 ethernet port
- ONVIF compatible

* 2.4GHz WiFi Network supported only



iCam300



RECORD UP TO 10 DAYS DATA ON 32GB SD CARD

SUPPORTS UP TO 128GB SD CARD



Wi-Fi Camera



WiFi 2.4G



Two way Audio



TF Card Support up to 128G



Supports iPhone & Android Devices



3MP: S-IP-3MD-WFA

WiFi IP Dome IR Camera

- 1/2.7" 3MP CMOS Sensor
- 3x Digital Zoom
- Focus Length 4mm, 3MP
- 2pcs Array IR LED, 15m IR Range
- Two Way Audio Supported
- Motion Detection Alarm
- 4 Privacy Zone



2MP: S-C20

Wireless Security Cube Camera

- 1/2.9" Progressive Scan CMOS
- 3.6mm Camera Lens
- 1080P Image Resolution
- Support up to 128G TF Card
- Two Way Audio Supported
- 4pcs IR LED
- Cloud storage for motion detected recordings
- Support Private Mode
- Support Device offline notification
- Support Device sharing



3MP: S-P90

WiFi PT Camera

- 3MP Full HD Camera
- 95° View Angle
- Cloud Storage
- Support Wi-Fi 2.4 Ghz
- Two Way Audio Support
- SD Card upto 128 GB
- Human Shape Detection with Motion Tracking
- Auto IR-Cut
- Share Control



2MP: S-PT10

Smart WiFi Pan Tilt Camera

- 1/2.9" Progressive scan CMOS
- 3.6mm Camera Lens
- 1080P Image Resolution
- Support up to 128G TF Card
- Two Way Audio Supported
- 6 IR LED
- Cloud Storage for Motion Detected Recordings
- Support Private Mode
- Support Device Offline Notification
- Support Device Sharing



FALCON



Wireless & USB Adapter

WORKS WITH MOST DVRS

FALCON WiFi 300

Specifications

Interface	: USB 2.0
Wireless Standards	: IEEE 802.11n/b/g, CSMA/CA with ACK
Frequency	: 2.400-2.4835GHz
Signal Rate	: Up to 300Mbps(Dynamic)
Transmit Power	: <20dBm (EIRP)
Working Channel No.	: 13
Wireless Security	: Support 64/128 bit WEP, WPA-PSK/WPA2-PSK, 802.1x
Modulation Technology	: OFDM /CCK /16-QAM /64-QAM



Long Range



300Mbps WiFi



Works with Most DVRs



Safe & Reliable



BODY WORN CAMERA

IP67, Full HD 1080p, H.264, LED Light, Night Vision

Your Personal Bodyguard



S-BW15

- 5.08cm (2) 16:9 TFT LCD Screen (960*240)
- 1/2.5 CMOS Color Sensor
- 32GB Removable Storage
- Max Storage Support 64GB
- Recording Time: 6hrs at 720p
- Battery: Built-in 2600mAh
- Drop Test: 1.8m
- Weatherproof Standard: Ip56



S-BW16N

- 5.08cm (2) 16:9 TFT LCD Screen (960*240)
- 1/2.5 CMOS Color Sensor
- 32GB Internal Storage
- Recording Time: 10hrs at 720p, 14hrs at 480p
- Battery: Built-in 4000mAh
- WiFi & GPS: Yes
- Drop Test: 2.0m
- Weatherproof Standard: IP66



S-BW17

- 5.08cm (2) 16:9 TFT LCD Screen (960*240)
- 1/2.5 CMOS Color Sensor
- 32GB Internal Storage
- Max Storage Support 128GB
- Recording Time: 8hrs at 720p
- Battery: Built-in 3500mAh
- WiFi: Yes
- 4G Support
- GPS: Yes
- Drop Test: 2.0m
- Weatherproof Standard: IP66



Police Vehicle

Transport Vehicle

School Bus

Train

Ambulance

HD Mobile Surveillance



S-XVR-10-1 / S-4C1S-4M

Standalone Mobile DVR

- 4 Channel Mobile DVR
- SD Card Supported
- AHD Camera Supported
- Audio Supported
- H.264 Compression



S-XVR-10-2 / S-4C2H-4M

4G/WiFi/GPS Mobile DVR

- 4 Channel Mobile DVR
- 4G/WiFi / GPS Supported
- AHD Camera Supported
- Audio Supported
- H.264 Compression
- SD Card Supported



S-XVR-10-3 / S-4C1S-2MDG

4G/WiFi/GPS Mobile DVR with HDD Support

- 4 Channel Mobile DVR
- 4G / WiFi / GPS Supported
- AHD Camera Supported
- Audio Supported
- H.264 Compression
- SD Card & HDD Supported



S-VC13MPD / S-VC13MPB

Dome / Bullet Camera for Mobile DVR

- 1/3" HD CMOS
- 1.3mp Dome/bullet
- Day/Night Camera
- IR Camera with Metal Housing
- IR Led Length 10m
- IP66 Rated

Ethernet to Fiber Converter



S-SMSF-FE

1 port 10/100 Media Converter

- 10/100M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km



S-4SMSF-FE
S-4SMSF-GE

4 port 10/100 Media Converter

- 10/100M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km



S-8SMSF-FE
S-8SMSF-GE

8 port 10/100 Media Converter

- 10/100M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km



S-SMSF-GE

1port 10/100/1000 Media Converter

- 10/100/1000M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km



S-D MDF-FE

1 port 10/100 Media Converter (Pair)

- 10/100M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km



S-D MDF-GE

1 port 10/100/1000 Media Converter (Pair)

- 10/100M Transmission Speed
- Ethernet Port: RJ45, Fiber port: SC/LC
- Full-duplex and semiduplex
- Trans. distance: Up to 20/40/60/80Km

Power Supply



K SERIES
S-PS100/S-PS200
4/8 Channel



400-IB / S-FS4



800-IB / S-FS8



1600-IB / S-FS16



S-5B



S-10B




S-20B



Gigabit PoE Injector



S-PG30AT
2 ports Gigabit RJ45,
1GE POE output + 1GE data input



PoE Switch 10/100



S-4FE-2UE-LD-NB
4+2 Port 10/100 PoE Switch
Up to 250M Transmission Length
with Extend Mode



S-8FE-2UE-LD-NB
8+2 Port 10/100 PoE Switch
Up to 250M Transmission Length
with Extend Mode



S-4FE-2UE-L-NB
AF/AT IEEE802.3AF/AT
Up to 250M Transmission Length
with Extend Mode



S-8FE-2UE-L-NB
AF/AT IEEE802.3AF/AT
Up to 250M Transmission Length
with Extend Mode

10/100 + Uplink GIGA



S-8FE-2GE-LD-NB
8 PoE Port (10/100) + 2 Giga Uplink
PoE Switch



S-4GE-2UG-NB
4 PoE Port (10/100/1000) + 2 Giga
Uplink Ethernet Switch



S-8GE-2UG-NB
8 PoE Port (10/100/1000) + 2 Giga
Uplink Ethernet Switch

Full GIGA PoE Switch

10/100 + Uplink GIGA + Uplink SFP



S-8FE-2UG-1UF-NB
8 (PoE 10/100) + 2 Giga Uplink
+ 1 SFP Uplink PoE Switch



S-16FE-2UG-1UF-300W-NB
16 (PoE 10/100) + 2 Giga Uplink
+ 1 SFP Uplink PoE Switch



S-24FE-1UG-2UF-250W-NB
24 PoE (10/100) + 1 Giga Uplink
+ 2 SFP Uplink PoE Switch



S-16FE-2UG-2UF-300W-NB
16 PoE (10/100) + 2 Giga Uplink+2SFP PoE Switch



S-24FE-2UG-2UF
24 PoE (10/100) + 2 Giga Uplink+2SFP PoE Switch

Full GIGA with GIGA Uplink+SFP Uplink



S-4GE-1UG-1UF-150W-NB

4 Port + 1 + 1
10/100/1000 PoE Switch



S-4GE+2UG+1UF-NB

4 PoE Giga + 2 Uplink Giga
+ 1G SSP Uplink



S-8GE-2UG-2UF-NB

8 Port + 2 + 2
10/100/1000 PoE Switch



S-24GE-1UG-2UF-250W-NB

24 (POE 10/100/1000) + 1 (10/100/1000)
+ 2 (1G) SFP Uplink PoE Switch



S-24GE-2UG-2UF-400W-NB

24 (PoE 10/100/1000) + 2 (10/100/1000)
2 Uplink SFP Port Switch



S-16GE-2UG-1UF-300W-NB

16 Port+2UG+1UF PoE
Ethernet Switch



S-16GE-2UG-2UF-300W-NB

16 Port+2(G) PoE Ethernet Switch



S-24GE-2UG-2UF-450W-NB

24+2+2 Port Poe Ethernet switch

VLAN PoE Switch



S-4FE-2UE-LD-VLAN

4 Port PoE (10/100) +
2 Port Uplink (10/100) Switch



S-8FE-2UE-LD-AI-VLAN

8+2 Port 10/100Mbps
PoE Switch



S-8FE-2UG-LD-AI-VLAN

8 PoE Port (10/100Mbps) +
2 Port Giga Uplink PoE Switch



S-16GE-2UG-LD-AI-VLAN

16 PoE Port GIGA +
2 Port SFP Uplink PoE Switch

Managed PoE Switch Layer 2



S-8GE-M-2UG-AI-VLAN

Managed Switch L2 8 Port
+ 2 SFP Giga



S-16GE-M-2UG-LD-AI-VLAN

Managed Switch L2 16 Port
+ 2 SFP Giga



S-24GE-M-2UG-400W-AI-VLAN

Managed Switch L2 24 Port
+ 2 SFP Giga



S-24GE-M-2UG-250W-AI-VLAN

Managed Switch L2 24 Port
+ 2 SFP Giga

Managed PoE Switch Layer 3



S-24GE-M-4UF-AI-VLAN-L3-NP

Managed Switch L3 24 Port (Non PoE) + 4 SFP Giga



S-24GE-M-4UF-370W-AI-VLAN-L3-POE

Managed Switch L3 24 PoE Port + 4 SFP Giga





LED *Monitor*



SE-MON-16H
SE-MON-16H-III

Panel Size : 39.1CM (15.4) / 38.35CM (15.1)
 Resolution : 1280X800
 Dot Pitch : 0.259mm
 Brightness : 220cd/m2 (max.)
 Viewing Angle : H:90°/ V:65° (CR≥10)
 Response Time : 5ms (TD)
 Input Signal : VGA, HDMI
 Display Model : VGA, SVGA, SXGA, WXGA



SE-MON-18H

Panel Size : 43.43CM (17.1)
 Resolution : 1440X900
 Dot Pitch : 0.255mm
 Brightness : 220cd/m2 (max.)
 Viewing Angle : H:90°/ V:65° (CR≥10)
 Response Time : 5ms (TD)
 Input Signal : VGA / HDMI
 Display Model : VGA, SVGA, SXGA, WXGA



SE-MON-18H-I

Panel Size : 47CM (18.5)
 Resolution : 1366X768
 Dot Pitch : 0.3mm
 Brightness : 250cd/m2 (max.)
 Viewing Angle : H:130°/ V:110° (CR≥10)
 Response Time : 5ms (TD)
 Input Signal : VGA / HDMI
 Display Model : VGA, SVGA, SXGA, WXGA



SE-MON-20H

Panel Size : 48.26CM (19)
 Resolution : 1440X900
 Dot Pitch : 0.2835mm
 Brightness : 250cd/m2 (max.)
 Viewing Angle : H:130°/ V:110° (CR≥10)
 Response Time : 5ms (TD)
 Input Signal : VGA / HDMI
 Display Model : VGA, SVGA, SXGA, WXGA



SE-MON-18H-II

Panel Size : 50.8CM (20)
 Resolution : 1600X900
 Dot Pitch : 0.2768x0.2768mm
 Brightness : 250cd/m2 (max.)
 Viewing Angle : H:170°/ V:160° (CR≥10)
 Response Time : 5ms (Tr+Tf, Typical)
 Input Signal : VGA / HDMI
 Display Model : VGA, SVGA, SXGA, WXGA



SE-MON-22H
SE-MON-III2D (60.96)

Panel Size : 54.61CM (21.5) / 60.96CM (24)
 Resolution : 1920X1080
 Dot Pitch : 0.248mm
 Brightness : 250cd/m2 (max.)
 Viewing Angle : H:178°/ V:178° (CR≥10)
 Response Time : 5ms (TD)
 Input Signal : VGA / HDMI
 Display Model : VGA, SVGA, SXGA, WXGA

HDMI Extender



S- HDKEC-50M(with USB)
S-HDEC-60M(without USB)

60MTR HD Signal Extender

- Impedance: 100Ω
- Maximum data rate: 6.75Gbps
- Resolution: 1920X1080@60Hz
- Transmission distance: CAT6-50m



S-HDKEC-120M(with USB)
S-HDEC-120M(without USB)

120MTR HD Signal Extender with KVM

- Impedance: 100Ω
- Maximum data rate: 6.75Gbps
- Resolution: 1920X1080@60Hz
- Transmission distance: CAT5e/6-120m



S-HDEC-150M

150MTR HD Signal Extender

- Impedance: 100Ω
- Maximum data rate: 6.75Gbps
- Resolution: 1920X1080@60Hz
- Transmission distance: CAT6-150m



S-HDEC-200M

200MTR HD Signal Extender

- Impedance: 100Ω
- Maximum data rate: 6.75Gbps
- Resolution: 1920X1080@60Hz
- Transmission distance: CAT6-200m, CAT5E-150m

HDMI Converter



S-VGA-HDMI

VGA to HDMI Converter With Audio

- Chip: High performance analog conversion chip
- The output format: HDMI



S-HDMI-VGA

HDMI to VGA Converter

- Built-in advanced certified ag6200 ic chipset
- The HDMI male to VGA female converter supports resolutions up to 1920x1080 60Hz (1080p Full HD)

DVR/NVR Rack



S-DVRK2U-F

DVR RACK
2U/450wx350mm D Fix



S-DVRK4U-F

DVR RACK
4U/500wx400mm D Fix



S-DVRACK-2U
2U DVR/NVR Rack



S-DVRACK-4U
4U DVR/NVR Rack



S-NWRACK-6U-1
6U DVR/NVR Rack



S-NWRACK-9U-1
9U DVR/NVR Rack

- Color RAL 7035 (Grey)
- Thickness 0.6mm
- Powder coated finish
- Side Panels with Ventilation
- Rack mounting hardware

- Top and bottom cable entry hole
- Completely knocked down (CKD)
- Front Acrylic glass door with Lock & Key

- Color RAL 7035 (Grey)
- Thickness 0.6-0.8mm
- Powder coated finish
- Side Panels with Ventilation
- Construction Welded Fix

- Rack mounting hardware
- Top and bottom cable entry hole
- Front Acrylic glass door with Lock & Key

Dimension

Product	Height	Width	Depth	Static Load	Thickness
2U DVR/NVR Rack	150mm	400mm	350mm	7-10 Kg	0.6mm
4U DVR/NVR Rack	230mm	500mm	400mm	10-12 Kg	0.6mm
6U DVR/NVR Rack	330mm	550mm	350/500mm	12-15 Kg	0.6mm – 0.8mm
9U DVR/NVR Rack	450mm	550mm	400/500mm	20 Kg	0.6mm – 0.8mm

Accessories



S-FAN

Fan 90CFM 230V



S-PDU6P5A

Power Distribution Unit 6pt 5A



S-PDU3P5A

Power Distribution Unit 3pt 5A



S-HW

Hardware Set

Coaxial Cables (3+1)



- S-3CC70YP
- S-3CC90YP
- S-3CC90D (Outdoor)



- S-RG59-P3C
- S-RG59-P3C-BP

Copper Cables



Cat 6 (Indoor)

- 100M (4 Pair) - S-C6-100M
- 305M (2 Pair) - S-C6-305M-2P
- 305M (4 Pair) - S-C6-305M



Cat 6 (Outdoor) Shielded

- 305M (4 Pair Single Layer)
- S-C6-305M-LD
- 305M (4 Pair Dual Layer)
- S-C6-305M-2LD

Alloy Cables



Cat 5e (Indoor)

- S-A5E-100M (4 Pair)
- S-A5E-305M-2P (2 Pair)
- S-A5E-305M (4 Pair)



Cat 6 (Indoor)

- S-A6-100M (4 Pair)
- S-A6-305M-2P (2 Core)
- S-A6-305M (4 Pair)
- S-A6-305M-OD (Outdoor)

CCTV & Networking Cable



SERVICE CENTERS

AHMEDABAD

FORTUNE MARKETING PVT. LTD.
9, Utsav Raw House, Near Television Tower,
Opp., Sal Hospital, Thaltej, Ahmedabad - 380054
Call: 079-40029827
Email: rma.ahmedabad@fortune-it.com

BANGALORE

FORTUNE MARKETING PVT. LTD.
120, 121, 122, 124, 1st Floor, SPA Plaza, #1094,
OTC Road Bangalore - 560002 (Karnataka)
Call: 080-41621702, 41621703
Email: rma.bangalore@fortune-it.com

BHUBANESWAR

FORTUNE MARKETING PVT. LTD.
Plot No.- A/331, 1st Floor, Sahid Nagar,
Bhubaneswar, Orissa - 751007
Call: 9861275399
Email: rma.bhubaneswar@fortune-it.com

CHANDIGARH

FORTUNE MARKETING PVT. LTD.
SCO-85, 2nd Floor Sec 47 D
Chandigarh -160047
Call: 0172-5001117
Email: rma.chandigarh@fortune-it.com

CHENNAI

FORTUNE MARKETING PVT. LTD.
5,6 & 7, Ground Floor, ABC trade centre,
New no.39 old no.50 Anna Salai,
Inside Devi Theatre complex Chennai,
Tamil Nadu - 600002
Call: 044-28555449 / 42085823
Email: rma.chennai@fortune-it.com

COCHIN

FORTUNE MARKETING PVT. LTD.
Ground Floor & First Floor, G-206,
No 56/3318 A, 3318B, Panampilly Nagar,
Kochi - 682036
Call: 0484-4017766 / 4017765
Email: rma.cochin@fortune-it.com

DEHRADUN

FORTUNE MARKETING PVT. LTD.
123, Mandir LAN, Vanasthali, Ballupur chowk,
Dehradun, Uttrakhand - 248001
Call: 0135-2754114/7678921536
Email: rma.dehradun@fortune-it.com

DELHI - OKHLA

FORTUNE MARKETING PVT. LTD.
2nd Floor, D1/2 Okhla Phase - 2
New Delhi - 110020
Call: 011-40890000 / 49940000, Ext-159
Email: rma.fortune@fortune-it.com

DELHI - NEHRU PLACE

FORTUNE MARKETING PVT. LTD.
401 Gedore House, 51 - 52 Nehru Place,
New Delhi - 1100019
Call: 011-41055433
Email: rma.fortune@fortune-it.com

GOA

FORTUNE MARKETING PVT. LTD.
 Flat No. S-6, 2nd Floor, Karim Mansion Building
 Behind Pharmacy College, St.Inez,
 Panaji Goa - 403001
 Call: 08322221220 / 8237489221 / 8554060361
 Email: rma.goa@fortune-it.com

GUHAWATI

FORTUNE MARKETING PVT. LTD.
 Dr. B. R. Baruah, Ulubari Sikaria Complex,
 1st Floor, Guwahati, Assam - 781001
 Call: 9859143500
 Email: rma.guwahati@fortune-it.com

GHAZIABAD

FORTUNE MARKETING PVT. LTD.
 Office No. -122, First Floor, Sher Singh Palace,
 Near Choudhry Mod, Ghaziabad, U.P - 201001
 Call: 0120-4265723
 Email: rma.ghaziabad@fortune-it.com

HYDERABAD

FORTUNE MARKETING PVT. LTD.
 2nd Floor, 201, Jade Arcade, Opp Paradise Circle,
 Secunderabad, Hyderabad - 500003
 Call: 040-40312739
 Email: rma.hyderabad@fortune-it.com

INDORE

FORTUNE MARKETING PVT. LTD.
 19/1, Rounak Vila, Race Course Road,
 Near Bima Hospital, Indore - 452001
 Call: 0731-4074550
 Email: rma.indore@fortune-it.com

JAIPUR

FORTUNE MARKETING PVT. LTD.
 Plot No. A/5 Yudhishtar Marg C-Scheme,
 Ground Floor Jaipur, Rajasthan - 302001
 Call: 0141-2229008 / 4112598
 Email: rma.jaipur@fortune-it.com

KOLKATA

FORTUNE MARKETING PVT. LTD.
 2nd Floor, 19, R.N. Mukherjee Road,
 Kolkata - 700001 (West Bengal)
 Call: 033-40056754 / Ext 109 / 110 / 8100484709
 Email: rma.kolkata@fortune-it.com

LUDHIANA

FORTUNE MARKETING PVT. LTD.
 Shop No.4 Model Gram Road, 1st Floor,
 Opp. Rani Market Ludhiana, Punjab - 141002
 Call: 0161-5015034
 Email: rma.ludhiana@fortune-it.com

LUCKNOW

FORTUNE MARKETING PVT. LTD.
 126/31/1, B.N Road Awadh Plaza,
 Lalbagh Lucknow, Uttar Pradesh - 226001
 Call: 0522-4075518
 Email: rma.lucknow@fortune-it.com

MUMBAI

FORTUNE MARKETING PVT. LTD.
 Office No. 15, Ground Floor, Gandhi Bhuvan
 CHS Ltd., Chunam Lane, Off. DR. D. B. Marg,
 Grant Road, (E), Mumbai - 400 007
 Call: 022-43474243 / 43474241
 Email: rma.mumbai@fortune-it.com

NAGPUR

FORTUNE MARKETING PVT. LTD.
 B 101, 1, Wing B Narayanee Building,
 City Survey No 3399 Mouza Sitabardi,
 Nagpur, Maharashtra - 440012
 Call: 7020781093
 Email: rma.nagpur@fortune-it.com

PUNE

FORTUNE MARKETING PVT. LTD.
 201, 2nd Floor Nanasahab Paskar Bhawan,
 Near Court Gate No.4 Shivaji Nagar
 Pune - 411005
 Call: 020-29995773
 Email: rma.pune@fortune-it.com

PATNA - BIHAR

FORTUNE MARKETING PVT. LTD.
 Plot No. 666, Ward No.10, Circle No.06,
 4th Floor, Geetanjali Palace, Jamal Road,
 Patna, Bihar - 800001
 Call: 9341466545
 Email: rma.patna@fortune-it.co.in

RAIPUR

FORTUNE MARKETING PVT. LTD.
 House No. 4 Block No.16, Plot No. 21 / 22,
 Near Hair & Glitz, Ahmadji Colony, OCM Chowk,
 Raipur (C.G) - 492001
 Call: 0771-7132183
 Email: rma.raipur@fortune-it.com

RANCHI - JHARKHAND

FORTUNE MARKETING PVT. LTD.
 Singhi Marg, P. P. Compound, Ranchi,
 Jharkhand - 834001
 Call: 6513595240
 Email: rma.ranchi@fortune-it.com

OUR FEW PRESTIGIOUS CLIENTS



AWARDS & ACHIEVEMENT

- The best **Security & Surveillance** solution brand 2021 by DT.
- The best **Made in India** security camera brand 2021 by NCN.
- The best **CCTV brand** 2022 by DT.



Secureye

An Eye Beyond Your Eye



202301



Distributed in India by
Fortune Marketing Pvt. Ltd.
D-1/2, Okhla Industrial Area, Phase - II
New Delhi, Delhi, India

